



# AZTEC OILS

THE LUBRICATION SPECIALISTS

Intake Road, Bolsover Business Park, Bolsover, Derbyshire S44 6BB UK  
Tel: +44 (0) 1246 823007 Email: [sales@aztecoils.co.uk](mailto:sales@aztecoils.co.uk) [www.aztecoils.co.uk](http://www.aztecoils.co.uk)



---

**SECTION 2: Hazards identification (....)**

## 2.2.1 Hazard statements

Not classified as hazardous

Contains Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1), Benzenesulfonic acid, methyl-, mono-C20-26-branched alkyl derivs., calcium salts. May produce an allergic reaction.

## 2.2.2 Precautionary statements

Not Classified

Keep out of reach of children (P102).

Dispose of contents and/or container in accordance with local/ national regulations (P501).

## 2.3 Other hazards

This product is not identified as a PBT/vPvB according to current criteria.

---

**SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## 3.2.1 Base oil mixture

CAS Number:	Various see below
EC Number:	Various see below
REACH Registration Number:	Various see below
Index No.:	Various see below
Specific concentration limits:	None assigned
M factor:	Not applicable
Concentration:	20 - <40%
H Statements:	None
Categories:	Not Classified

## 3.2.2 Base oil mixture - unspecified

CAS Number:	Various see below
EC Number:	Various see below
REACH Registration Number:	Various see below
Index No.:	Various see below
Specific concentration limits:	Not applicable
M factor:	Not applicable
Concentration:	<90%
H Statements:	H304
Categories:	Asp. Tox. 1

The highly refined mineral oil contains <3% (w/w) DMSO-extract, according to IP346.

Base oil may contain one or more of the following: 101316-70-5, 309-875-6, 101316-71-6, 309-876-1 101316-72-7, 309-877-7 RRN 01-2119489969-06/ 64741-88-4, 265-090-8, RRN 01-2119488706-23, 649-454-00-7/, 64741-89-5, 265-091-3, RRN

**SECTION 3: Composition/information on ingredients (....)**

01-2119487067-30/ 64741-95-3, 265-096-0, RRN 01-2119487081-40/ 64741-96-4, 265-097-6, RRN 01-2119483621-38/ 64742-01-4, 265-101-6, RRN 01-2119488707-21/ 64742-45-6, 265-147-7/ 64742-52-5, 265-155-0, RRN 01-2119467170-45, 649-465-00-7/ 64742-53-6, 265-156-6, RRN 01-2119480375-34, 649-466-00-2/ 64742-54-7, 265-157-1, RRN 01-2119484627-25, 649-461-00-8/ 64742-56-9, 265-159-2, RRN 01-2119480132-48, 649-469-00-9/ 64742-57-0, 265-160-8/ 01-2119489287-22/, 64741-88-4, 265-090-8, RNN 01-2119488706-23 / 64742-62-7, 265-166-0 / RRN 01-2119480472-38/ 64742-65-0, 265-169-7, RRN 01-2119471299-27, 649-474-00-6/ 64742-70-7, 265-174-4, RRN 01-2119487080-42 / 68037-01-4, 500-183-1, RNN 01-2119486452-34 /, 111-66-0, 203-893-7, RNN 01-2119486877-14, 01-2119409094-47 / 70693-43-5, 813-310-3/ 72623-85-9, 276-736-3, RRN 01-2119555262-43/ 72623-86-0, 276-737-9, RRN 01-2119474878-16, 649-482-00-x/ 72623-87-1, 276-738-4, RRN 01-2119474889-13, 649-483-00-5/ 74869-22-0, 278-012-2, RRN 01-2119495601-36, 649-484-00-0/ 8042-47-5, 232-455-8, 01-2119487078-27.

**3.2.3 Bis(nonylphenyl)amine**

CAS Number: 36878-20-3  
EC Number: 253-249-4  
REACH Registration Number: 01-2119488911-28  
Index No.: Not applicable  
Specific concentration limits: Not applicable  
M factor: Not applicable  
Concentration: 1 - 2%  
H Statements: H413  
Categories: Aquatic Chronic 4

**3.2.4 Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate**

CAS Number: 125643-61-0  
EC Number: 406-040-9  
REACH Registration Number: 01-2119878226-29  
Index No.: 607-530-00-7  
Specific concentration limits: None applicable  
M factor: Not applicable  
Concentration: 0.7 - 2.0%  
H Statements: H413  
Categories: Aquatic Chronic 4

**3.2.5 Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1)**

CAS Number: 114959-46-5  
EC Number: 601-337-1  
REACH Registration Number: Not available or exempt from registration  
Index No.: Not applicable  
Specific concentration limits: Not applicable  
M factor: Not applicable  
Concentration: 0.7 - 2%

---

**SECTION 3: Composition/information on ingredients (....)**

H Statements: H317, H413  
Categories: Skin Sens. 1, Aquatic Chronic 4

**3.2.6 Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts**

CAS Number: 722503-69-7  
EC Number: Not available  
REACH Registration Number: Not available or exempt from registration  
Index No.: Not applicable  
Specific concentration limits: Not applicale  
M factor: Not applicable  
Concentration: 0.15 - <1.0%  
H Statements: H317, H413  
Categories: Skin Sens. 1B, Aquatic Chronic 4

---

**SECTION 4: First aid measures****4.1 Description of first aid measures****4.1.1 Inhalation**

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

**4.1.2 Contact with eyes**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses (if easy to do so). Get medical attention.

**4.1.3 Contact with skin**

Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.

**4.1.4 Ingestion**

Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

**4.2 Most important symptoms and effects, both acute and delayed****4.2.1 Inhalation**

May cause irritation

**4.2.2 Ingestion**

May cause nausea/vomiting  
May cause diarrhoea

**4.2.3 Contact with skin**

**SECTION 4: First aid measures (....)**

May cause redness and irritation  
May cause an allergic skin reaction.

## 4.2.4 Contact with eyes

May cause irritation

## 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment should be symptomatic and directed to relieving any effects.
- 

**SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

- Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.  
Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

## 5.2 Special hazards arising from the substance or mixture

- If heated or in cases of fire, pressure in a vessel will increase and container may burst.
- Combustion products may include: carbon oxides (CO, CO<sub>2</sub>) (carbon monoxide, carbon dioxide), metal oxide/ oxides, phosphorous oxides and sulphur oxides (SO, SO<sub>2</sub>, etc..)

## 5.3 Advice for firefighters

- Promptly isolate and secure the scene, remove all unnecessary and untrained persons from the vicinity if there is a fire. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  
Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European Standard EN 469 will provide a basic level of protection for chemical incidents.
- 

**SECTION 6: Accidental release measures**

Spillage causes slippery surface

## 6.1 Personal precautions, protective equipment and emergency procedures

- Stop any leak if it is safe to do so.
- Absorb with sand or other inert absorbent. Collect in containers and seal securely.
- Adopt best manual handling considerations when handling, carrying and dispensing.
- Appropriate protective equipment must be worn when handling a spill of this material. See SECTION 8, Exposure Controls/Personal Protection, for recommendations. If exposed to material during clean-up operations, see SECTION 4, First Aid Measures, for actions to follow.

## 6.2 Environmental precautions

- Do not allow product to enter drains. Prevent further spillage if safe. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## 6.3 Methods and material for containment and cleaning up

- Stop any leak if it is safe to do so.
-

**SECTION 6: Accidental release measures (....)**

- Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.
- Dispose of in compliance with all local and national regulations.

## 6.4 Reference to other sections

- See Section 1 for emergency contact information.
- See Section 5 for firefighting measures.
- See Section 8 for information on appropriate personal protective equipment.
- See Section 12 for environmental precautions.
- See Section 13 for additional waste treatment information.

**SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

- Use appropriate personal protective equipment.
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## 7.2 Conditions for safe storage, including any incompatibilities

- Store in accordance with local regulations.
- Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## 7.3 Specific end use(s)

- The identified uses for this product are detailed in Section 1.2.

**SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

- If this product contains ingredients with exposure limits, personal and/or workplace atmosphere monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

## Substances

Chemical Name	WEL (short term)	WEL (long term)	STEL	WEL
Base oil mixture		5 mg/m <sup>3</sup>		5 mg/m <sup>3</sup> (IE)
Base oil mixture -unspecified		5 mg/m <sup>3</sup>		5 mg/m <sup>3</sup> (IE)

## Substances

**SECTION 8: Exposure controls/personal protection (....)**

Chemical Name	PNEC	DNEL (Industry; inhalational, long term systemic effects)	DNEL (Industry; dermal, long term systemic effects)	DNEL (Industry; oral, long term systemic effects)
Bis(nonylphenyl)amine			5 mg/kg bw/day	
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl- 4-hydroxyphenyl)propionate			0.22 mg/kg bw/day	

## Substances

Chemical Name	DNEL (Consumer; inhalational, long term systemic effects)	DNEL (Consumer; dermal, long term systemic effects)	DNEL (Consumer; oral, long term systemic effects)
Bis(nonylphenyl)amine		2.5 mg/kg bw/day	0.25 mg/kg bw/day

## 8.2 Exposure controls

- A full risk assessment should be undertaken before handling this material.



- Engineering Controls
- All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
- Eye Protection:  
If contact is likely, safety glasses are recommended.
- Hand Protection
- As specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handles and the conditions of work and use.  
Recommended: Nitrile or alternative suitable glove.  
Breakthrough time represents how long a glove can be expected to provide effective permeation resistance. Always consult with your glove supplier for up-to-date technical information on breakthrough.
- Skin and Body Protection  
Wear appropriate clothing as protection against splashing.  
In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.

---

**SECTION 8: Exposure controls/personal protection (....)**

- Hygiene Measures  
Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking.  
Routinely wash work clothing and protective equipment to remove contaminants.
  - Respiratory Protection  
No Special requirements under ordinary conditions of use and with adequate ventilation.
- 

**SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

- Appearance: Green
- Physical state: Liquid
- Odour: Characteristic.
- Density: 0.85 at 15°C
- Viscosity (kinematic): 8.3cSt at 100°C
- Freezing point/Range: <-40°C
- Boiling Point/Range: >300°C
- Flashpoint: >170°C
- Autoignition Temperature: >280°C

## 9.2 Other information

- Not applicable
- 

**SECTION 10: Stability and reactivity**

## 10.1 Reactivity

- No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.

## 10.2 Chemical stability

- Considered stable under normal conditions

## 10.3 Possibility of hazardous reactions

- None under normal processing.
- Hazardous polymerisation does not occur.

## 10.4 Conditions to avoid

- Avoid heat, flames and other sources of ignition.

## 10.5 Incompatible materials

- Reactive or incompatible with the following materials: oxidizing materials.

## 10.6 Hazardous decomposition products



**SECTION 10: Stability and reactivity (....)**

- Under normal conditions of storage and use, hazardous decomposition products should not be produced

**SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## Substances

Chemical Name	LD <sub>50</sub> (oral, rat)	LD <sub>50</sub> (skin, rat)
Bis(nonylphenyl)amine	>5000 mg/kg bw	
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	>2000 mg/kg bw	>2000 mg/kg bw

- Inhalation may cause irritation to the respiratory tract.
- Ingestion: May cause nausea and diarrhoea.
- Skin contact: Defatting to the skin. May cause skin dryness and irritation.
- Eye contact: No known significant effects or critical hazards.
- No other specific data and information available.
- Skin sensitisation; This material is not expected to cause allergic skin reactions.

## 11.2 Information on other hazards

## General: USED ENGINE OILS

Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.

**SECTION 12: Ecological information**

## 12.1 Toxicity

- Not classified as dangerous

## Substances

Chemical Name	EC <sub>50</sub> (daphnia)	IC <sub>50</sub> (algae)	LC <sub>50</sub> (fish)
Bis(nonylphenyl)amine	733 mg/l (48 hr)	600 mg/l (72 hr)	>10000 mg/l (96 hr)
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	>100 mg/l (24 hr)		

---

**SECTION 12: Ecological information (....)**

## 12.2 Persistence and degradability

- The product is not readily biodegradable.

## 12.2.1 Bis(nonylphenyl)amine

Not readily biodegradable.

## 12.2.2 Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate

Not readily biodegradable.

## 12.2.3 Base oil mixture

Not readily biodegradable.

## 12.2.4 Base oil mixture - unspecified

Not readily biodegradable.

## 12.3 Bioaccumulative potential

- The product has limited potential for bioaccumulation. The product is not expected to bioaccumulate through food chains in the environment.

## 12.4 Mobility in soil

- Spillages may penetrate the soil causing ground water contamination.

## 12.5 Results of PBT and vPvB assessment

- Not Classified as PBT/vPvB by current EU criteria.

## 12.5.1 Bis(nonylphenyl)amine

Not Classified as PBT/vPvB by current EU criteria.

## 12.5.2 Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate

Not Classified as PBT/vPvB by current EU criteria.

## 12.5.3 Base oil mixture

Not Classified as PBT/vPvB by current EU criteria.

## 12.5.4 Base oil mixture - unspecified

Not Classified as PBT/vPvB by current EU criteria.

## 12.6 Endocrine disrupting properties

- Not applicable

## 12.7 Other adverse effects

- Spillages may form an oil layer on water surfaces causing physical damage to organisms. Oxygen transfer may also be impaired.

**SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

- Dispose of in compliance with all local and national regulations.

## 13.2 Classification

- This material and its containers must be disposed of as hazardous waste. Dispose of waste via a licensed waste disposal contractor.
  - EWC NUMBER: Allocation of a waste code number in accordance with the European Waste Catalogue, should be carried out in agreement with an EA authorised waste disposal company.
- 

**SECTION 14: Transport information**

## 14.1 UN number or ID number

- UN No.: Not regulated.

## 14.2 UN proper shipping name

- Proper Shipping Name: Not applicable.

## 14.3 Transport hazard class(es)

- Hazard Class: Not applicable.

## 14.4 Packing group

- Packing Group: Not applicable.

## 14.5 Environmental hazards

- Not classified.

## 14.6 Special precautions for user

- Not available.

## 14.7 Maritime transport in bulk according to IMO instruments

- Not available.
- 

**SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
- Regulation (EC) No 1272/2008 of the European Parliament and the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

## 15.2 Chemical safety assessment

- A chemical safety assessment (CSA) for this product has not yet been completed
-

## SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H304: May be fatal if swallowed and enters airways. H317: May cause an allergic skin reaction. H413: May cause long lasting harmful effects to aquatic life.

### Disclaimer

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process

--- end of safety datasheet ---

---